

RayBiotech, Inc.

3607 Parkway Lane suite 100 Norcross, GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Certificate of Analysis and Data Sheet

Mouse Anti-Human IGF-1 Antibody

Catalog No:	Isotype:	Species:	Accession No:
130-10086	Mouse IgG/3H12-F10-G8	Human	P05019

Description

Insulin-like growth factor 1 (**IGF-1**), also called **somatomedin C**, is a protein in humans encoded by the *IGF1* gene. IGF-1 is a hormone similar in molecular structure to insulin. It plays an important role in childhood growth and continues to have anabolic effects in adults. IGF-1 is produced primarily by the liver as an endocrine hormone as well as in target tissues in a paracrine/autocrine fashion. Production is stimulated by growth hormone (GH) and can be retarded by under-nutrition, growth hormone insensitivity, lack of growth hormone receptors, or failures of the downstream signaling pathway post GH receptor including SHP2 and STAT5B. Approximately 98% of IGF-1 is always bound to one of 6 binding proteins (IGF-BP). IGFBP-3, the most abundant protein, accounts for 80% of all IGF binding. IGF-1 binds to IGFBP-3 in a 1:1 molar ratio.

Applications

Summary of antibody applications and working conditions

Options Functions	YES	NO	Not determined	Recommended Work dilution or concentration
ELISA	*			1:80,000
Western Blotting	*			1:1,000
Enzyme Immunoassay(EIA)			*	
Immunohistology - paraffin			*	
Immunohistology - resin			*	
Immunoprecipitation			*	
Flow Cytometry			*	
Neutralization			*	

Note: Other applications are not tested yet. Optimal dilutions should be determined by each laboratory for each application




RayBiotech, Inc.

3607 Parkway Lane suite 100 Norcross, GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com



Immunodetection Analysis: Representative blot from a previous lot. Lane 1, protein marker; Lane 2, recombinant protein IGF-1; Lane 3, SP2/0 lysate. The blot was probed with anti-IGF-1primary antibody (1:1,000). Proteins were visualized using a Donkey anti-mouse secondary antibody conjugated to IRDye 800CW detection system.

Preparation

Immunogen was recombinant protein derived from human IGF-1. This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with the immunogen. The IgG fraction of tissue culture supernatant was purified by Protein G/A affinity chromatography.

Specificity

The Mouse anti-human IGF-1 binds to the target derived from human recombinant protein at various concentrations. Cross reactivity with mouse and rat was not tested

Reconstitution

Product is supplied as a powder obtained from lyophilization of purified antibody in PBS without preservatives. Reconstitute the antibody with sterile 1x PBS to a final concentration of 1 mg/ml.

Storage

Store at 4°C if intended for use within one month, otherwise, store at -20°C to -80°C. The lyophilized antibody is stable for at least 18 months after the date of receipt when stored at -20°C to -80°C. After reconstitution, it can be aliquoted and stored frozen at -20°C to -80°C in a manual defrost freezer for 6 months without detectable loss of activity. Upon reconstitution, the antibody can also be stored for 1 month at 4°C. Please avoid freeze-thaw cycles, as this will lower the activity of the antibody.



RayBiotech, Inc.

3607 Parkway Lane suite 100 Norcross, GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Reference

- 1. Höppener JW, et al. (1985). "The human gene encoding insulin-like growth factor I is located on chromosome 12". *Hum. Genet.* **69** (2): 157–60.
- 2. Jansen M, et al. (1983). "Sequence of cDNA encoding human insulin-like growth factor I precursor". *Nature* **306** (5943): 609–11.