

RayBiotech, Inc.

3607 Parkway Lane suite 100 Norcross, GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Certificate of Analysis and Data Sheet

Mouse Anti-Human IGF-1 Antibody

Catalog No:	Isotype:	Species:	Accession No:
130-10095	IgG/2G12-F11-F9	Human	P05019

Description

Insulin-like growth factor 1 (IGF-1) is also called somatomedin C is a protein that in humans is encoded by the *IGF1* gene. IGF-1 is a hormone similar in molecular structure to insulin. It plays an important role in childhood growth and continues to have anabolic effects in adults. IGF-1 is produced primarily by the liver as an endocrine hormone as well as in target tissues in a paracrine/autocrine fashion. Production is stimulated by growth hormone (GH) and can be retarded by undernutrition, growth hormone insensitivity, lack of growth hormone receptors, or failures of the downstream signaling pathway post GH receptor including SHP2 and STAT5B. Approximately 98% of IGF-1 is always bound to one of 6 binding proteins (IGF-BP). IGFBP-3, the most abundant protein, accounts for 80% of all IGF binding. IGF-1 binds to IGFBP-3 in a 1:1 molar ratio.

Applications

Summary of antibody applications and working conditions

Options Functions	YES	NO	Not determined	Recommended Work dilution or concentration
ELISA	*			1:80,000
Western Blotting			*	
Enzyme Immunoassay (EIA)			*	
Immunohistology - paraffin			*	
Immunohistology - resin			*	
Immunoprecipitation			*	
Flow Cytometry			*	
Neutralization			*	

Note: Other applications are not tested yet. Optimal dilutions should be determined by each laboratory for each application



RayBiotech, Inc.

3607 Parkway Lane suite 100 Norcross, GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Preparation

Immunogen was recombinant protein derived from Human IGF-1. This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with the immunogen. The IgG fraction of tissue culture supernatant was purified by Protein A/G affinity chromatography.

Specificity

The antibody specifically binds to Human IGF-1. Cross reactivity with mouse and rat was not tested.

Reconstitution

Product is supplied as a powder obtained from lyophilization of purified antibody in PBS without preservatives. Reconstitute the antibody with sterile 1 x PBS to a final concentration of 1 mg/ml.

Storage

Store at 4°C if intended for use within one month, otherwise, store at -20°C to -80°C. The lyophilized antibody is stable for at least 18 months after the date of receipt when stored at -20°C to -80°C. After reconstitution, it can also be aliquoted and stored frozen at -20°C to -80°C in a manual defrost freezer for 6 months without detectable loss of activity. Upon reconstitution, the antibody can also be stored for 30 days at 4°C. Please avoid freeze-thaw cycles, as this will lower the activity of the antibody.

Reference

- 1. Höppener JW, et al. (1985). "The human gene encoding insulin-like growth factor I is located on chromosome 12". *Hum. Genet.* **69** (2): 157–60.
- 2. Jansen M, et al. (1983). "Sequence of cDNA encoding human insulin-like growth factor I precursor". *Nature* **306** (5943): 609–11.