

## RayBiotech, Inc.

3607 Parkway Lane suite 100  
Norcross, GA 30092  
Tel: 770-729-2992, 1-888-494-8555  
Fax: 770-206-2393  
Website: [www.raybiotech.com](http://www.raybiotech.com)  
Email: [info@raybiotech.com](mailto:info@raybiotech.com)

# Certificate of Analysis and Data Sheet

## Recombinant Human Stromal Interaction Molecule 1

**Catalog No.**  
228-11467

**Source:**  
*Escherichia Coli.*

### **Synonyms**

Stromal interaction molecule 1, GOK, D11S4896E, STIM-1, STIM1.

### **Introduction**

STIM1 is a type-1 transmembrane protein that is necessary for store-operated  $\text{Ca}^{2+}$  entry, a process of extracellular  $\text{Ca}^{2+}$  influx in response to the depletion of  $\text{Ca}^{2+}$  stores in the endoplasmic reticulum (ER). STIM1 localizes predominantly to the ER; upon  $\text{Ca}^{2+}$  release from the ER, STIM1 translocates to the ER-plasma membrane junctions and activates  $\text{Ca}^{2+}$  channels. STIM1 is an adhesion molecule involved in early hematopoiesis by mediating attachment to stromal cells. STIM1 controls the survival and/or proliferation of b-cell precursors. STIM1 gene is one of several genes located in the imprinted gene domain of 11p15.5, a significant tumor-suppressor gene region. Alterations in this region have been associated with the Beckwith-Wiedemann syndrome, Wilms tumor, rhabdomyosarcoma, adrenocortical carcinoma, and lung, ovarian, and breast cancer. STIM1 is involved in malignancies as well as early hematopoiesis, by mediating attachment to stromal cells. STIM1 is oriented in a head-to-tail configuration with the ribonucleotide reductase 1 gene (RRM1), with the 3' end of this gene situated 1.6 kb from the 5' end of the RRM1 gene.

### **Description**

Recombinant STIM1 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 343 amino acids and having a molecular mass of 38 kDa. STIM1 is fused to Calmodulin and purified by conventional chromatography techniques.

### **Physical Appearance**

Sterile filtered colorless solution.

### **Formulation**

The STIM1 protein solution (1mg/ml) contains 20mM Tris pH-7.5.

### **Stability**


Store at 4°C if entire vial will be used within 2-4 weeks.

Store, frozen at -20°C for longer periods of time.

For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

Avoid multiple freeze-thaw cycles.

**The products are furnished for LABORATORY RESEARCH USE ONLY.  
Not for diagnostic or therapeutic use.**



## RayBiotech, Inc.

3607 Parkway Lane suite 100  
Norcross, GA 30092  
Tel: 770-729-2992, 1-888-494-8555  
Fax: 770-206-2393  
Website: [www.raybiotech.com](http://www.raybiotech.com)  
Email: [info@raybiotech.com](mailto:info@raybiotech.com)

---

### ***Purity***

Greater than 90.0% as determined by

(a) Analysis by RP-HPLC.

(b) Analysis by SDS-PAGE.

### ***Amino Acid Sequence***

MADQLTEEQI AEFKEAFSLF DKDGDGTITT KELGTVMRSL GQNPTEAELQ DMINEVDADG  
NGTIDFPEFL TMMARKMKDT DSEEEIREAF RVFDKDGNGY ISAAELRHVM TNLGEKLTDE  
EVDEMIREAD IDGDGQVNYE EFVQMMTAKG SMLSHSHSEK ATGTSSGANS EESTAAEFGR  
IDKPLCHSED EKLSFEAVRN IHKLMDDAN GDVDVEESDE FLREDLNYHD PTVKHSTFHG  
EDKLISVEDL WKAWKSSEVY NWTVDEVVQW LITYVELPQY EETFRKLQLS GHAMPRLAVT  
NTTMTGTVLK MDRSHRQKL QLKALDTVLF GPPLLTRHNN LKD.

**The products are furnished for LABORATORY RESEARCH USE ONLY.  
Not for diagnostic or therapeutic use.**