

### RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092 Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

# Certificate of Analysis and Data Sheet

# Goat Anti-Casein Kinase 1, delta,

With HRP-conjugated Secondary Antibody

Catalog No. Target Species Accession Number

Target Protein

Principal Names: CKIdelta, HCKID, CSNK1D, HGNC:2452, casein kinase 1, delta

Official Symbol: CSNK1D

Accession Number(s): NP 001884.2; NP 620693.1

Human GeneID(s): 1453

**Non-Human GeneID(s):** 104318 (mouse), 64462 (rat)

**Important Comments:** This antibody is expected to recognize both reported isoforms (NP\_001884.2

and NP\_620693.1)

#### Immunogen

Peptide with sequence C-DREERLRHSRNPATR, from the internal region of the protein sequence according to NP\_001884.2; NP\_620693.1.

#### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

#### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:64000.

Western blot: Approx 48kDa band observed in lysates of human brain and of cell line HEK 293 (calculated MW of 47.3kDa according to NP\_001884.2). Recommended concentration: 0.3-1µg/ml.

## Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Rat, Dog

### Background Reference

Xu Y, Padiath QS, Shapiro RE, Jones CR, Wu SC, Saigoh N, Saigoh K, Ptacek LJ, Fu YH. Functional consequences of a CKIdelta mutation causing familial advanced sleep phase syndrome. Nature. 2005 Mar 31;434(7033):640-4. **PMID:** 15800623

The products are furnished for LABORATORY RESEARCH USE ONLY.

Not for diagnostic or therapeutic use.



### RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092

Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

#### Secondary Antibody Applications

Immunoassay (ELISA, Western blotting): 1:5,000-1:10,000

### **Images**



ER-14-0274 (0.3 $\mu$ g/ml) staining of 293 cell lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.