

Anti-Human VEGF-165 Polyclonal Antibody

Catalog: PAR-100-VEGF165

Specifications and Use

Target: Human Vascular Endothelial Growth Factor-165

Host and Purification: Ig Fraction of Rabbit Serum

Physical State: Lyophilized

Endotoxin Level: <0.1EUs per ug

Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 with no stabilizers or preservatives

Storage: Store at 2-8°C after restoration with 0.1mL deionized water or -20°C for long term storage, avoid repeat freeze thaws.

Alternate Target Names: VEGF-A, VPF, glioma-derived endothelial cell mitogen

Description:

Vascular Endothelial Growth Factor-A (VEGF-A) was originally isolated from tumor cells and is produced by a wide variety of cell types. In addition to stimulating vascular growth and vascular permeability, VEGF-A may play a role in stimulating vasodilatation via nitric oxide-dependent pathways. VEGF-A has several variants, VEGF-165 being the most abundant. The human sequences shares a 95% homology with bovine. Human VEGF-165 is a disulfide-linked homodimer, containing two 165 amino acids and having a total molecular mass of 38.2 kDa.


Reported Applications:

Recommended Dilution*:

Western Blot ELISA 1:1000 starting No Data

*INVESTIGATORS ARE ADVISED TO TITRATE ANTIBODIES TO REACH OPTIMAL ASSAY CONDITIONS FOR THEIR SPECIFIC NEEDS.

THIS PRODUCT IS FOR RESEARCH USES ONLY! THIS PRODUCT IS NOT FOR USE IN HUMANS!!!



Western blot analysis of recombinant human VEGF-165 (100-44) using rabbit anti-human VEGF-165 polyclonal antibody and anti-rabbit secondary antibodies. MW of human VEGF-165 (reduced) is 19.1 kDa

Gentaur Molecular Products Voortstraat 49 1910 Kampenhout, Belgium