www.biossusa.com support@biossusa.com 800.501.7654 [DOMESTIC] +1.781.569.5821 [INTERNATIONAL]

Bioss

bs-9731R

Rabbit Anti-EML3 Polyclonal Antibody

Primary Antibodies

Background:

At the onset of mitosis, assembly of the mitotic spindle requires a global change in the activity of microtubule-binding proteins. EML3 (Echinoderm microtubule-associated protein-like 3) is a 896 amino acid protein that likely modifies microtubule dynamics by making them longer. Through colocalization with spindle microtubules during mitosis, EML3 plays a role in correct metaphase chromosome alignment. EML3 contains a nuclear localization signal and a microtubule-binding domain. The gene encoding EML3 maps to human chromosome 11, which houses over 1,400 genes and comprises nearly 4% of the human genome. Jervell and Lange-Nielsen syndrome, Jacobsen syndrome, Niemann-Pick disease, hereditary angioedema and Smith-Lemli-Opitz syndrome are associated with defects in genes that maps to chromosome 11.

Source/Purification:

KLH conjugated synthetic peptide derived from hu EML3. Was purified by Protein A and peptide affinity chromatography.

Storage: Prepared as lyophilized powder or liquid and shipped on ice. Store at -20°C for one year.

Reconstitution:

If the antibody is in liquid form, no reconstitution needed.

Reconstitution is only required for the lyophilized antibody. Please refer to the reconstitution instruction card in the package.

For full size images and description please click $\ensuremath{\mathsf{HERE}}\,.$

Size: 100ul or 100ug lyophilized

Concentration: 1ug/uL

Host: Rabbit

Reactivities: Human, Mouse, Rat, Rabbit,

Application:

WB(1:100-500)ELISA(1:500-1000)IHC-P(1:100-500)IHC-F(1:100-500)

• IF(1:50-200)

 Not yet tested in other applications.
Optimal working dilutions must be determined by the end user.

Antibody Type: Polyclonal

Isotype: IgG

Molecular Weight: 95kDa

Preservatives:

10ug/uL BSA and 0.1% NaN3.

For research use only. CAUTION: Not for human or animal therapeutic or diagnostic use.