Rabbit anti CDC2 (Ab-15)

Catalog Number:	AP21236
Amount:	100µl (for 10 Western Blotting)
Swiss-Prot No. :	P06493
Form of Antibody:	Rabbit IgG in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl,
	0.02% sodium azide and 50% glycerol.
Storage/Stability:	Store at -20°C/1 year
Immunogen:	The antiserum was produced against synthesized non-phosphopeptide derived from
	human CDC2 around the phosphorylation site of tyrosine 15 (G-T-Y ^P -G-V).
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using
	epitope-specific immunogen.
Specificity/Sensitivity	CDC2 (Ab-15) antibody detects endogenous levels of total CDC2 protein.
Reactivity:	Human, Mouse, Rat
Applications:	WB: 1:1000
References:	Y Gu, et al. (1992) EMBO J. 11(11): 3995–4005.
	P Jin, et al. (1996) Cell Biology, Vol 134: 963-970,
	Tyagi, et al. (2005) Alpna1Carcinogenesis, Volume 26: 1978-1987(10)
	Xiang S. et al. (1997) The EMBO Journal 16: 182–192
	1 2 3 4 5 6 7 8 -118- -85-

Western blot analysis of extracts from COLO (Lane 1, 5) and HepG2 (Lane 2, 6) and K562 (Lane 3, 4, 7, 8) cells, using CDC2 (Ab-15) antibody (AP21236, Lane 1, 2, 3 and 4) and CDC2 (phospho-Tyr15) antibody (pAP11244, Lane 5, 6, 7 and 8).

_

-47-

-36-

-26-

(kD)

- - +

-

- +

CDC2-

P-Peptide

Peptide

-

-

-

CDC2

(pTyr15)

For Research Use Only

Contact & Ordering Information: Angio-Proteomie, 11 Park Drive, Suite 12, Boston, MA 02215, USA. Fax: (480) 247-4337, angioproteomie@gmail.com