

RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092 Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Certificate of Analysis and Data Sheet

Rat Anti-Mouse CD19:RPE

Catalog No.Target SpeciesIsotypeDS-MB-03754MouseIgG2a

Preparation

Purification: Purified IgG prepared by affinity chromatography on Protein G from tissue culture

supernatant

Immunogen: Human K562 cell line transfected with murine CD19

Fusion Partners: Spleen cells from immunized rats were fused with cells of the P3X63.Ag8.653

myeloma cell line.

Specificity

DS-MB-03754 recognizes the murine CD19 cell surface antigen, a 95kD glycoprotein expressed by B lymphocytes.

Formulation

Product Type: Monoclonal Antibody

Product Form: Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution: Reconstitute with 1 ml distilled water **Buffer Solution:** Phosphate buffered saline pH7.4

Preservative Stabilizers: 0.09% Sodium Azide (NaN₃), 1% Bovine Serum Albumin

Applications

Options Functions	YES	NO	Not determined	Recommended Work dilution or concentration
Immunofluorescence			•	
Flow Cytometry (1)	•			Neat - 1/10

Note: Other applications are not tested yet. Optimal dilutions should be determinated. (1). Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.



RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092 Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

Storage

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life: 12 months from date of reconstitution.

Reference

- 1. Krop, I. et al. (1996) Self-renewal of B-1 lymphocytes is dependent on CD19 Eur. J. Immunol. 26: 238.
- 2. Vernooy, J. *et al.* (2002) Long-term intratracheal lipopolysaccharide exposure in mice results in chronic lung inflammation and persistent pathology. Am. J. Respir. Cell. Mol. Biol. 26: 152-159.