## bs-0192R

# Rabbit Anti-Trk A/B/C Polyclonal Antibody

Primary Antibodies

#### Background:

The Trk family of nerve growth factor receptors includes Trk A(also referfed to as Trk A gp140), Trk B and Trk C. The prototype member of this gene family, Trk A, encodes a 140 kDa cell surface receptor, gp140, the expression of which is restricted in vivo to neurons of the sensory spinal and cranial gangliaof neurocrest origin. Nerve growth factor (NGF) stimulates tyrosine phosphorylation of Trk gp 140 in neural cell lines and in embryonic dorsal root ganglia. By comparison, BDNF and to a lesser extent, NT-3, but not NGF, can induce tyrosine phophorylayion of Trk B gp 145. The third member of the Trk receptor family, Trk C incodes a 140 kDa protein, Trk C gp140, that is preferentially expressed in brain tissue and primarily functions as a receptor for NT-3. An additional component of the Trk receptor complex, NGFR p175, binds to neurotrophic factors with low affinity but is required for efficient

## Source/Purification:

ligand-bound receptor complex.

KLH conjugated synthetic peptide derived from human Trk A/B/C. Was purified by Protein A and peptide affinity chromatography.

Storage: Prepared as lyophilized powder or liquid and shipped on ice. Store at -20°C for one year.

signaling, NGFR p175 accelerates Trk activation and may recruit downstream dffector molecules to the

#### Reconstitution:

If the antibody is in liquid form, no reconstitution needed.

Reconstitution is only required for the lyophilized antibody. Please refer to the reconstitution instruction card in the package.

Size: 100ul or 100ug lyophilized

Concentration: 1ug/uL

Host: Rabbit

Reactivities: Human, Mouse, Rat, Chicken,

Application:

WB(1:100-500)

ELISA(1:500-1000)

IP(1:20-100)

IHC-P(1:100-500)
IHC-F(1:100-500)

• IF(1:100-500)

Not yet tested in other applications.
Optimal working dilutions must be

determined by the end user.

Antibody Type: Polyclonal

Isotype: IgG

Molecular Weight: 90kDa

Preservatives:

10ug/uL BSA and 0.1% NaN3.

For research use only. CAUTION: Not for human or animal therapeutic or diagnostic use.