bs-1160R

Rabbit Anti-Gelsolin Polyclonal Antibody

Primary Antibodies

Background:

Gelsolin is a calcium dependent actin binding protein. It is a potent modulator of actin filament length and gelation. Gelsolin has been shown to exist in at least two variant forms, cytoplasmic gelsolin and plasma gelsolin. Plasma gelsolin has also been called actin depolymerizing factor (ADF) or brevin. Human plasma and rabbit macrophage gelsolins differ by the presence of a 25 amino acid residue extension at the NH2 terminus in the human plasma

Source/Purification:

KLH conjugated synthetic peptide derived from human Gelsolin. Was purified by Protein A and peptide affinity chromatography.

Storage: Prepared as lyophilized powder or liquid and shipped on ice. Store at -20°C for one year.

gelsolin, which appears to account for the difference in relative molecular weights.

Reconstitution:

If the antibody is in liquid form, no reconstitution needed.

Reconstitution is only required for the lyophilized antibody. Please refer to the reconstitution instruction card in the package.

Size: 100ul or 100ug lyophilized

Concentration: 1ug/uL

Host: Rabbit

Reactivities: Human, Mouse, Rat,

Application:

WB(1:100-500)

ELISA(1:500-1000)
IP(1:20-100)

• IHC-P(1:100-500)

IHC-F(1:100-500)
IF(1:100-500)

 Not yet tested in other applications.
Optimal working dilutions must be determined by the end user.

Antibody Type: Polydonal

Isotype: IgG

Molecular Weight: 80kDa

Preservatives:

10ug/uL BSA and 0.1% NaN3.

For research use only, CAUTION: Not for human or animal therapeutic or diagnostic use.