#### bs-1293R

# Rabbit Anti-GABBR2/GABA B Receptor 2 Polyclonal Antibody

Primary Antibodies

#### Background:

Receptor for GABA. The activity of this receptor is mediated by G-proteins that inhibit adenylyl cyclase activity, stimulates phospholipase A2, activates potassium channels, inactivates voltage-dependent calcium-channels and modulates inositol phospholipids hydrolysis. Plays a critical role in the fine-tuning of inhibitory synaptic transmission.

Pre-synaptic GABA-B-R inhibit neurotransmitter release by down-regulating high-voltage activated calcium

channels, whereas postsynaptic GABA-B-R decrease neuronal excitability by activating a prominent inwardly rectifying potassium (Kir) conductance that underlies the late inhibitory postsynaptic potentials. Not only implicated in synaptic inhibition but also in hippocampal long-term potentiation, slow wave sleep, muscle relaxation and antinociception.

### Source/Purification:

KLH conjugated synthetic peptide derived from human GABA B Receptor 2. Was purified by Protein A and peptide affinity chromatography.

Storage: Prepared as lyophilized powder or liquid and shipped on ice. Store at -20°C for one year.

#### Reconstitution:

If the antibody is in liquid form, no reconstitution needed.

Reconstitution is only required for the lyophilized antibody. Please refer to the reconstitution instruction card in the package.

Size: 100ul or 100ug lyophilized

Concentration: 1ug/uL

Host: Rabbit

Reactivities:

Human, Mouse, Rat, Chicken, Dog, Cow, Horse, Rabbit,

## Application:

- WB(1:100-500)
- ELISA(1:500-1000)
  IHC-P(1:100-500)
- IHC-F(1:100-500)IF(1:100-500)
- Not yet tested in other applications.
  Optimal working dilutions must be

determined by the end user.

Antibody Type: Polyclonal

Isotype: IgG

Molecular Weight: 103kDa

Preservatives:

10ug/uL BSA and 0.1% NaN3.

For research use only. CAUTION: Not for human or animal therapeutic or diagnostic use.